

HiVi-Swans M10Plus Passive 2.1 Speaker



HiVi-Swans M10Plus Passive 2.1 Speaker

M10 Plus

Stylish design with matte black cabinet, white front panel.





Back-placed Double Inverter Tube

Lower wind noise at
resonance frequency point
Shocking bass


型号 Model: HiVi-Swans M10 Plus
RoHS
COMPLIANT
2002/95/EC

OPTICAL

开/ON

关/OFF

Hi-Fi Satellite



20mm Soft Dome Tweeter

The tweeter adopts natural silk diaphragm for delicate treble.
Optimized magnetic circuit system presents clear high frequency effect.

3" Long-Stroke Mid-low Speaker


The diaphragm is made of paper mixed materials to create wide and flat frequency response. It also has good damping characteristics, which makes more outstanding transient response and detail performance.



3" Long-Stroke
Mid-low Speaker

5" Subwoofer Creates Powerful Bass

independent long-stroke active subwoofer creates low frequency below 140Hz.
Paper ketone diaphragm with high-strength foam edge restore
the real powerful bass.



5.0 Bluetooth Input

It support 5.0 bluetooth, available to multiple portable device.

Enjoy music anytime.



Loseless Wired Audio Transmission

Support line/coaxial/optical input can connect to the device like PC, game console, or TV to achieve high-quality loseless transfer.



Coaxial



Optical



AUX



Multi-color Indicator

The changed color of the Swan logo indicates different input modes.



Specification



| | |
|------------------|---|
| Specification: | M10Plus Subwoofer |
| Series: | Active 2.1 speaker |
| Type: | One-way active subwoofer(phase inversion) |
| Speaker Unit: | 5" Subwoofer |
| Frequency Range: | 55Hz-140Hz |
| Output Power: | 30W RMS |
| DSP Crossover: | 140Hz |
| Bass Adjustment: | ± 6dB |
| N.W: | 2.8kg |



| | |
|------------------|---------------------------------------|
| Specification: | M10Plus Satellite |
| Series: | Active 2.1 speaker |
| Type: | Two-way satellite (Enclosed speaker) |
| Speaker Unit: | 3" mid-low range, 20mmtweeter |
| Frequency Range: | 140Hz-20kHz |
| Output Power: | 15W RMS × 2 |
| DSP Crossover: | 3.0kHz |
| N.W: | 2 × 0.75kg |

Scene







